SCANDINAVIAN

WOOD FLOORING





CONTENTS:

- 2 NORTH CAPE
- 4 SOGNEFJORDEN
- 8 ASGARD
- 14 LOCI

" A charming, long-lasting flooring experience created with authentic craftsmanship, inventiveness & environmental integrity "

SCINDINIVIN SCINDINITH SPIRIT

SCANDI FLOOR wood flooring products embraces the best traditions of Scandinavian woodworkers which involves love of nature, patience, aspiration to achieve the highest quality and most consistent product possible.

Brand originates from family wood processing and manufacturing traditions that have been passed down through two generations.

SCANDI FLOOR brand combines the best old traditions with the latest technological advancements. The expertise and the achievements in mechanical engineering, tool making, painting varnishing and technology of adhesive materials are being accumulated within our company and used in our daily practices.





Scandinavian design is characterized by purity, unity, simplicity and implies the use of natural materials with focus on light and nature.

To get this pure, versatile aesthetic in your home, discover our exclusive North Cape wood flooring collection.

1 Strip Oak Pearl Seafoam







1 Strip Oak Pearl Seafoam Extra Matt Lac 2B



1 Strip Oak Glace Toffee Ice Cream Matt Lac 2B

Finishing: Extra Matt Lacquered Width: 160-204 mm Length: 2000-2390 mm

#11119

Finishing: Matt Lacquered

Width: 160-204 mm Length: 2000-2390 mm



Width: 160-204 mm Length: 2000-2390 mm

#21131-1

1 Strip Ash Lily Of The Valley Matt Lac 2B



Finishing: Extra Matt Lacquered Width: 160-204 mm Length: 2000-2390 mm

#21132-1

1 Strip Ash Sandy Marble Extra Matt Lac 2B



Finishing: Matt Lacquered

Width: 160-204 mm Length: 2000-2390 mm

#21133-1

1 Strip Ash Summer Dawn Matt Lac 2B



Finishing: Matt Lacquered

Width: 204 mm Length: 2200 mm

#23134

3 Strip Ash Silver Creek Matt Lac



Width: 204 mm Length: 2200 mm

#13135

3 Strip Oak Sparkling Snow Matt Lac



Finishing: Matt Lacquered

Width: 204 mm Length: 2200 mm

#13136

3 Strip Oak White Mist Matt Lac




Scandinavian nature has always been an excellent inspiration for fashion, art and interior design. Nothing like natural wood floor warmness will complement any home décor.

Discover our **Sognefjorden** collection to create a harmony and balance between your living space and nature.





The rocky coasts, flora and mountains of Sognefjorden influenced the rich, natural tones and varied textures.





1 Strip Oak Eagle's Nest Matt Lac 2B



Finishing: Matt Lacquered Width: 160-204 mm Length: 2000-2390 mm

#11123



1 Strip Oak Reindeer Moss Matt Lac 2B



Width: 160-204 mm Length: 2000-2390 mm


#11120



Finishing: Matt Lacquered

Width: 160-204 mm Length: 2000-2390 mm

#11124



Finishing: Matt Lacquered

Width: 204 mm Length: 2200 mm

3 Strip Ash Auburn Hills Matt Lac



Finishing: Matt Lac Width: 204 mm Length: 2200 mm

#13105

3 Strip Oak Aurora Borealis Matt Lac



Finishing: Matt Lacquered

Width: 204 mm Length: 2200 mm

#63109


3 Strip Beech Seashell Matt Lac



Finishing: UV-Oil Width: 160-204 mm Length: 2000-2390 mm

#11221

1 Strip Oak Harbor Lights UV-Oil 2B




Finishing: Matt Lacquered

Width: 204 mm Length: 2200 mm

3 Strip Oak Polar Night Matt Lac



Asgard is a modern and classical collection of wood flooring, presented in a range of natural and noble materials of exceptional quality.





Width: 204 mm Length: 2200 mm

#13108

3 Strip Oak Aestethic Matt Lac



Finishing: Matt Lacquered

Width: 204 mm Length: 2200 mm

#23101

3 Strip Ash Autumn Leaf Matt Lac



Finishing: Matt Lacquered

Width: 204 mm Length: 2200 mm

#33111

3 Strip Walnut Copenhagen Matt Lac



Finishing: Matt Lacquered

Width: 204 mm Length: 2200 mm

3 Strip Walnut Premier Matt Lac







1 Strip Walnut Aesthetic Matt Lac 2B



Finishing: Matt Lacquered

Width: 160-204 mm

Length: 2000-2390 mm

Width: 160-204 mm Length: 2000-2390 mm

#11122


#31127



1 Strip Oak Lake Forest Matt Lac 2B



1 Strip Ash Viking Ale Matt Lac 2B



1 Strip Walnut Premier Matt Lac 2B

Finishing: Matt Lacquered

Width: 160-204 mm Length: 2000-2390 mm

#21117

Finishing: Matt Lacquered

Width: 160-204

Length: 2000-2390 mm



Finishing: Matt Lacquered

Width: 160-204 mm Length: 2000-2390 mm

#11118

1 Strip Oak Grönstedts Matt Lac 2B



Finishing: Matt Lacquered

Width: 160-204 mm Length: 2000-2390 mm

#11107

1 Strip Oak Rye Malt Matt Lac 2B



Finishing: Matt Lacquered

Width: 204 mm Length: 2200 mm

#13104

3 Strip Oak Brun Björn Matt Lac

Start with the

RICH & CHARMING tones


including organic color variations to create an

EXCLUSIVE IMPECCABLY FASHIONABLE

living environment!



Bold and daring, dramatic and breathtaking, warm and rich. Red is a powerful color that can transform your home.





Various wood species with different grain pattern and varied hues - from Jatoba with it salmon red and distinctive, durable beauty, to deep and rich reddish brown tones of Merbau, with its allure and timeless elegance.







Width: 160-204 mm Length: 2000-2390 mm

#21114

1 Strip Sunwashed Ash Matt Lac 2B



Finishing: Matt Lacquered

Width: 160-204 mm Length: 2000-2390 mm

#21115

1 Strip Ash Aurora Matt Lac 2B




Finishing: Matt Lacquered

Width: 204 mm Length: 2200 mm

#23103

3 Strip Ash Clover Honey Matt Lac



Finishing: Matt Lacquered

Width: 204 mm Length: 2200 mm

3 Strip Ash Glögg Matt Lac



1 Strip Jatoba Matt Lac 2B



Finishing: Matt Lacquered

Width: 160-204 mm

Length: 2000-2390 mm

Width: 160-204 mm Length: 2000-2390 mm

#41130

#51128



1 Strip Merbau S Matt Lac 2B



3 Strip Jatoba Matt Lac

3 Strip Merbau S Matt Lac

#43113



Width: 204 mm Length: 2200 mm

#53110



3 Strip Merbau Ladybird Matt Lac






ENVIRONMENT

We adhere to environmentally responsible standards, to ensure both quality and sustainability. We carefully choose materials and components, from adhesives to finishes that emit the lowest possible amount of pollutants.

Our products meet the highest standards for toxic emissions. Scandi Floor takes pride in keeping the products with the smallest formaldehyde level.



CLIMATE

Moisture conditions, humidity levels and temperature greatly affect the behaviour of natural wood floors. They must be strictly controlled during storage, transportation, and installation to prevent destructive process.

Prior to installation, ensure that all internal site conditions are stable, dry and suitable for particular hardwood floor. Room temperature of between 18° - 22°C (65° - 73°F) and Relative Humidity of between 45 - 65% must be maintained at all times.

Remember that wood flooring requires time to reach moisture content level in equilibrium with the surrounding environment. Hardwood floor boards must be left in the room unpacked to acclimatize to the moisture content and temperature of the new home before the installation for at least 48 hours.

UNDERFLOOR HEATING

Homeowners have become increasingly aware of the benefits of modern underfloor heating over conventional radiator systems.

For heated floors we recommend to use our 14 mm thick (no more than 18mm as any thicker will hinder the efficient performance of the system) either laid as a floating floor, or glued down to the subfloor. Glued down floors distribute the heat more uniformly.

It is important to remember that the surface temperature of the new hardwood floor must not exceed 27°C (81°f). Higher temperatures can cause cracking of the top layer or excessive gaping between boards.

Always ensure that you change the temperature gradually at the start and end of a heating. The maximum variation in temperature should not be more than 5°C within 24 hours.

WHY CHOOSE SCANDI FLOOR

Our team of highly skilled specialists takes the utmost care at all stages of production process, which are carried out within our factory. This helps us to achieve the highest quality and most consistent product possible.

Unilin Lock - strong and reliable lock system easy for installation without glue.

Extremely strong profiled ends due to the use of Birch plywood in the middle layer.

Bottom layer of the board is made from birch veneer which is more humidity resistant than spruce or pine.



COUR VISION Escase Levels India Was a served and the served and

PROFESSIONAL EQUIPMENT

Use of the machinery with diamond tooling helps us to minimize the losses of timber of valuable hardwood species such as oak, walnut and ash, and to maximize production output.

QUALITY & SUSTAINABLE MATERIALS


Our main timber resources are valuable hardwood species and coniferous materials. In our production process we always make sure that every single plank of hardwood timber is used. Sawdust and grinding dust are being used for the heating of the factory and process water. A unique air dual purification system enables us to bring back the heat into the production premises.

HIGHLY SKILLED & PASSIONATE CRAFTSMEN

A team of experienced technologists and designers makes a significant contribution by constantly innovating and designing new products by utilizing revolutionary solutions in the field of finishing materials.

FINISHING SOLUTIONS FROM PROFESSIONAL SUPPLIER

Lacquers and oils by Bona – a famous Scandinavian manufacturer of hardwood floor care products – provide our wood floors with silky appearance, durability and make them eco-friendly.





CONTACT:

Technomar & Adrem Ltd. Vana-Narva mnt. 22 74114 Maardu ESTONIA

info@scandifloor.eu

Technomar & Adrem AS | www.technomar.ee